

Rates and Proportionality

MODULE

4



ESSENTIAL QUESTION

How can you use rates and proportionality to solve real-world problems?

LESSON 4.1

Unit Rates

LESSON 4.2

Constant Rates of Change

LESSON 4.3

Proportional Relationships and Graphs



Real-World Video

You can use rates to describe lots of real-world situations. A cyclist can compute rates such as miles per hour or rotations per minute.

 my.hrw.com

© Houghton Mifflin Harcourt Publishing Company • Image Credits: © OSO Media / Alamy Images

GO
DIGITAL
my.hrw.com



my.hrw.com

Go digital with your write-in student edition, accessible on any device.



Math On the Spot

Scan with your smart phone to jump directly to the online edition, video tutor, and more.



Animated Math

Interactively explore key concepts to see how math works.




Personal Math Trainer

Get immediate feedback and help as you work through practice sets.

Reading Start-Up

Visualize Vocabulary

Use the ✓ words to complete the graphic. You can put more than one word in each bubble.



Understand Vocabulary

Match the term on the left to the definition on the right.

- | | |
|-------------------|--|
| 1. rate of change | A. Statement that two rates or ratios are equivalent. |
| 2. proportion | B. A rate that describes how one quantity changes in relation to another quantity. |
| 3. unit rate | C. Rate in which the second quantity is one unit. |

Vocabulary

Review Words

- constant (*constante*)
- ✓ conversion factor (*factor de conversión*)
- ✓ equivalent ratios (*razones equivalentes*)
- ✓ percent (*porcentaje*)
- rate (*tasa*)
- ✓ ratio (*razón*)

Preview Words

- complex fraction (*fracción compleja*)
- constant of proportionality (*constante de proporcionalidad*)
- proportion (*proporción*)
- proportional relationship (*relación proporcional*)
- rate of change (*tasa de cambio*)
- unit rates (*tasas unitarias*)

Active Reading

Three-Panel Flip Chart Before beginning the module, create a three-panel flip chart to help you organize what you learn. Label each flap with one of the lesson titles from this module. As you study each lesson, write important ideas like vocabulary, properties, and formulas under the appropriate flap.



Are YOU Ready?

Complete these exercises to review skills you will need for this module.



Personal Math Trainer

Online Assessment and Intervention

my.hrw.com

Operations with Fractions

EXAMPLE $\frac{3}{10} \div \frac{5}{8} = \frac{3}{10} \times \frac{8}{5}$
 $= \frac{3}{\cancel{10}_5} \times \frac{\cancel{8}^4}{5}$
 $= \frac{12}{25}$

Multiply by the reciprocal of the divisor.

Divide by the common factors.


Simplify.

Divide.

1. $\frac{3}{4} \div \frac{4}{5}$ _____ 2. $\frac{5}{9} \div \frac{10}{11}$ _____ 3. $\frac{3}{8} \div \frac{1}{2}$ _____ 4. $\frac{16}{21} \div \frac{8}{9}$ _____

Ordered Pairs


EXAMPLE



To write the ordered pair for A, start at the origin. Move 2 units right. Then move 4 units down. The ordered pair for point A is (2, -4).

Write the ordered pair for each point.

5. B _____ 6. C _____
 7. D _____ 8. E _____
 9. F _____ 10. G _____



Are YOU Ready? (cont'd)

Complete these exercises to review skills you will need for this module.


Operations with Fractions

11. A track is $\frac{3}{4}$ mile long. The track is measured in units called furlongs. One furlong is equivalent to $\frac{1}{8}$ mile. How long is the track in furlongs? Show your work.

12. Which is greater: $\frac{1}{2} \div \frac{7}{10}$ or $\frac{1}{2} \div \frac{7}{8}$? How do you know?

Ordered Pairs

13. The origin on the coordinate grid represents Lincoln Middle School. Dora, Pedro, Naomi, and Rajeev live at the points represented by their initials. Write the ordered pair for each student's home with respect to the location of Lincoln Middle School.



4.1 Unit Rates



ESSENTIAL QUESTION

How do you find and use unit rates?

EXPLORE ACTIVITY




Exploring Rates

Commonly used rates like miles per hour make it easy to understand and compare rates.

Jeff hikes $\frac{1}{2}$ mile every 15 minutes, or $\frac{1}{4}$ hour. Lisa hikes $\frac{1}{3}$ mile every 10 minutes, or $\frac{1}{6}$ hour. How far do they each hike in 1 hour? 2 hours?


- A** Use the bar diagram to help you determine how many miles Jeff hikes. How many $\frac{1}{4}$ -hours are in 1 hour? How far does Jeff hike in 1 hour?



- B** Complete the table for Jeff's hike.

Distance (mi)	$\frac{1}{2}$				
Time (h)	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1	2

- C** Complete the bar diagram to help you determine how far Lisa hikes. How many miles does she hike in 1 hour?



- D** Complete the table for Lisa's hike.

Distance (mi)	$\frac{1}{3}$				
Time (h)	$\frac{1}{6}$	$\frac{1}{3}$	$\frac{1}{2}$	1	2

EXPLORE ACTIVITY (cont'd)

Reflect

1. How did you find Jeff's distance for $\frac{3}{4}$ hour?

2. Which hiker walks farther in one hour? Which is faster?



Math On the Spot

my.hrw.com

Finding Unit Rates

A rate is a comparison of two quantities that have different units, such as miles and hours. Rates are often expressed as **unit rates**, that is, with a denominator of 1 unit.

$$\frac{60 \text{ miles} \div 2}{2 \text{ hours} \div 2} = \frac{30 \text{ miles}}{1 \text{ hour}} \quad \text{This means 30 miles per hour.}$$

When the two quantities being compared in the rate are both fractions, the rate is expressed as a *complex fraction*.

A **complex fraction** is a fraction that has a fraction in its numerator, denominator, or both.

$$\frac{\frac{a}{b}}{\frac{c}{d}} = \frac{a}{b} \div \frac{c}{d}$$

EXAMPLE 1



While remodeling her kitchen, Angela is repainting. She estimates that she paints 55 square feet every half-hour. How many square feet does Angela paint per hour?

- STEP 1** Determine the units of the rate.

The rate is **area in square feet per time in hours**.

- STEP 2** Find Angela's rate of painting in area painted per time.

area painted: 55 sq ft **time:** $\frac{1}{2}$ hour

$$\frac{\text{area painted}}{\text{time}} = \frac{55 \text{ square feet}}{\frac{1}{2} \text{ hour}}$$

The fraction represents area in square feet per time in hours.

- STEP 3** Find Angela's unit rate of painting in square feet per hour.

$$\frac{55}{\frac{1}{2}} = 55 \div \frac{1}{2}$$

Rewrite the fraction as division.

$$= \frac{55}{1} \times \frac{2}{1}$$

Multiply by the reciprocal.

$$= \frac{110 \text{ square feet}}{1 \text{ hour}}$$

The unit rate has a denominator of 1.

- Angela paints 110 square feet per hour.



YOUR TURN

3. Paige mows $\frac{1}{6}$ acre in $\frac{1}{4}$ hour. How many acres does Paige mow per hour?

4. Greta uses 3 ounces of pasta to make $\frac{3}{4}$ of a serving of pasta. How many ounces of pasta are there per serving? _____



Personal
Math Trainer

Online Assessment
and Intervention

my.hrw.com

Using Unit Rates

You can use unit rates to simplify rates and ratios that appear complicated, such as those containing fractions in both the numerator and denominator.



Math On the Spot

my.hrw.com

EXAMPLE 2



Two pools are leaking. After 15 minutes, pool A has leaked $\frac{2}{3}$ gallon. After 20 minutes, pool B has leaked $\frac{3}{4}$ gallon. Which pool is leaking faster?

STEP 1 Find the rate in volume (gallons) per time (hours) at which each pool is leaking. First convert minutes to hours.

Pool A

$$\frac{\frac{2}{3} \text{ gal}}{15 \text{ min}} = \frac{\frac{2}{3} \text{ gal}}{\frac{1}{4} \text{ h}}$$

$$15 \text{ min} = \frac{1}{4} \text{ h}$$

Pool B

$$\frac{\frac{3}{4} \text{ gal}}{20 \text{ min}} = \frac{\frac{3}{4} \text{ gal}}{\frac{1}{3} \text{ h}}$$

$$20 \text{ min} = \frac{1}{3} \text{ h}$$

STEP 2 To find the unit rates, first rewrite the fractions.

Pool A

$$\frac{\frac{2}{3} \text{ gal}}{\frac{1}{4} \text{ h}} = \frac{2}{3} \div \frac{1}{4}$$

Pool B

$$\frac{\frac{3}{4} \text{ gal}}{\frac{1}{3} \text{ h}} = \frac{3}{4} \div \frac{1}{3}$$

STEP 3 To divide, multiply by the reciprocal.

Pool A

$$\begin{aligned} \frac{2}{3} \div \frac{1}{4} &= \frac{2}{3} \times \frac{4}{1} \\ &= \frac{8}{3}, \text{ or } 2\frac{2}{3} \text{ gal per h} \end{aligned}$$

Pool B

$$\begin{aligned} \frac{3}{4} \div \frac{1}{3} &= \frac{3}{4} \times \frac{3}{1} \\ &= \frac{9}{4}, \text{ or } 2\frac{1}{4} \text{ gal per h} \end{aligned}$$

STEP 4 Compare the unit rates.

Pool A **Pool B**

$$2\frac{2}{3} > 2\frac{1}{4}$$


So, Pool A is leaking faster.

My Notes

Math Talk

Mathematical Processes

How do you compare mixed numbers?



YOUR TURN

5. One tank is filling at a rate of $\frac{3}{4}$ gallon per $\frac{2}{3}$ minute. A second tank is filling at a rate of $\frac{5}{8}$ gallon per $\frac{1}{2}$ minute. Which tank is filling faster?

Guided Practice

1. Brandon enters bike races. He bikes $8\frac{1}{2}$ miles every $\frac{1}{2}$ hour. Complete the table to find how far Brandon bikes for each time interval. (Explore Activity)

Distance (mi)	$8\frac{1}{2}$				
Time (h)	$\frac{1}{2}$	1	$1\frac{1}{2}$	2	$2\frac{1}{2}$

Find each unit rate. (Example 1)

2. Julio walks $3\frac{1}{2}$ miles in $1\frac{1}{4}$ hours.

3. Kenny reads $\frac{5}{8}$ page in $\frac{2}{3}$ minute.

4. A garden snail moves $\frac{1}{6}$ foot in $\frac{1}{3}$ hour.

5. A machine covers $\frac{5}{8}$ square foot in $\frac{1}{4}$ hour.

Find each unit rate. Determine which is lower. (Example 2)

6. Brand A: 240 mg sodium for $\frac{1}{3}$ pickle or Brand B: 325 mg sodium for $\frac{1}{2}$ pickle


7. Ingredient C: $\frac{1}{4}$ cup for $\frac{2}{3}$ serving or Ingredient D: $\frac{1}{3}$ cup for $\frac{3}{4}$ serving



ESSENTIAL QUESTION CHECK-IN

8. How can you find a unit rate when given a rate?

4.1 Independent Practice



9. The information for two pay-as-you-go cell phone companies is given.

On Call 3.5 hours: \$10	Talk Time $\frac{1}{2}$ hour: \$1.25
-----------------------------------	--

- a. What is the unit rate in dollars per hour for each company?

- b. **Analyze Relationships** Which company offers the best deal? Explain your answer.

- c. **What If?** Another company offers a rate of \$0.05 per minute. How would you find the unit rate per hour?

- d. **Draw Conclusions** Is the rate in part c a better deal than On Call or Talk Time? Explain.

10. **Represent Real-World Problems** Your teacher asks you to find a recipe that includes two ingredients with a rate of $\frac{2 \text{ units}}{3 \text{ units}}$.

- a. Give an example of two ingredients in a recipe that would meet this requirement.

- b. If you needed to triple the recipe, would the rate change? Explain.

11. A radio station requires DJs to play 2 commercials for every 10 songs they play. What is the unit rate of songs to commercials?

12. **Multistep** Terrance and Jesse are training for a long-distance race. Terrance trains at a rate of 6 miles every half hour, and Jesse trains at a rate of 2 miles every 15 minutes.

- a. What is the unit rate in miles per hour for each runner?

- b. How long will each person take to run a total of 50 miles at the given rates?

- c. Sandra runs at a rate of 8 miles in 45 minutes. How does her unit rate compare to Terrance's and to Jesse's?

- 13. Analyze Relationships** Eli takes a typing test and types all 300 words in $\frac{1}{10}$ hour. He takes the test a second time and types the words in $\frac{1}{12}$ hour. Was he faster or slower on the second attempt? Explain.



FOCUS ON HIGHER ORDER THINKING

- 14. Justify Reasoning** An online retailer sells two packages of protein bars.

Package	10-pack of 2.1 ounce bars	12-pack of 1.4 ounce bars
Cost (\$)	15.37	15.35

- a. Which package has the better price per bar?

- b. Which package has the better price per ounce?

- c. Which package do you think is a better buy? Justify your reasoning.

- 15. Check for Reasonableness** A painter painted about half a room in half a day. Coley estimated the painter would paint 7 rooms in 7 days. Is Coley's estimate reasonable? Explain.

- 16. Communicate Mathematical Ideas** If you know the rate of a water leak in gallons per hour, how can you find the number of hours it takes for 1 gallon to leak out? Justify your answer.

Work Area

LESSON 4.2 Constant Rates of Change

7.2.4.2

Students will identify and represent proportional relationships.



ESSENTIAL QUESTION

How can you identify and represent proportional relationships?

EXPLORE ACTIVITY




Discovering Proportional Relationships

Many real-world situations can be described by *proportional relationships*. Proportional relationships have special characteristics.

A giant tortoise moves at a slow but steady pace. It takes the giant tortoise 3 seconds to travel 10.5 inches.



- A** Use the bar diagram to help you determine how many inches a tortoise travels in 1 second. What operation did you use to find the answer?



- B** Complete the table.

Time (sec)	1	2	3	4	5
Distance (in.)			10.5		

- C** For each column of the table, find the distance and the time. Write each fraction as a decimal. Put distance in the numerator and time in the denominator.

$$\frac{\square}{\square} = \square \quad \frac{\square}{\square} = \square \quad \frac{\square}{\square} = \square \quad \frac{\square}{\square} = \square \quad \frac{\square}{\square} = \square$$

- D** What do you notice about the decimal forms of the fractions?

- E Conjecture** How do you think the distance a tortoise travels is related to the time?

EXPLORE ACTIVITY (cont'd)

Reflect

1. Suppose the tortoise travels for 12 seconds. Explain how you could find the distance the tortoise travels.

2. How would you describe the rate of speed at which a tortoise travels?



Math On the Spot

my.hrw.com

Proportional Relationships

A **rate of change** is a rate that describes how one quantity changes in relation to another quantity. A **proportional relationship** between two quantities is one in which the rate of change is constant, or one in which the ratio of one quantity to the other is constant.

Any two rates or ratios based on a given proportional relationship can be used to form a *proportion*. A **proportion** is a statement that two rates or ratios are equivalent, for example, $\frac{6 \text{ mi}}{2 \text{ h}} = \frac{3 \text{ mi}}{1 \text{ h}}$, or $\frac{2}{4} = \frac{1}{2}$.

My Notes

EXAMPLE 1



Callie earns money by dog sitting. Based on the table, is the relationship between the amount Callie earns and the number of days a proportional relationship?

Number of Days	1	2	3	4	5
Amount Earned (\$)	16	32	48	64	80

STEP 1

Write the rates.

$$\frac{\text{Amount earned}}{\text{Number of days}} = \frac{\$16}{1 \text{ day}}$$

$$\frac{\$32}{2 \text{ days}} = \frac{\$16}{1 \text{ day}}$$

$$\frac{\$48}{3 \text{ days}} = \frac{\$16}{1 \text{ day}}$$

$$\frac{\$64}{4 \text{ days}} = \frac{\$16}{1 \text{ day}}$$

$$\frac{\$80}{5 \text{ days}} = \frac{\$16}{1 \text{ day}}$$

Put the amount earned in the numerator and the number of days in the denominator.

Each rate is equal to $\frac{\$16}{1 \text{ day}}$, or \$16 per day.

Math Talk

Mathematical Processes

How can you use the constant rate to find how much Callie earns for 10 days of dog sitting?

STEP 2

Compare the rates. The rates are all equal. This means the rate is constant, so the relationship is proportional.

The constant rate of change is \$16 per day.

YOUR TURN

3. The table shows the distance Allison drove on one day of her vacation. Is the relationship between the distance and the time a proportional relationship? Did she drive at a constant speed? Explain.

Time (h)	1	2	3	4	5
Distance (mi)	65	120	195	220	300



**Personal
Math Trainer**

Online Assessment
and Intervention

my.hrw.com

Writing an Equation for a Proportional Relationship

If there is a proportional relationship between x and y , you can describe that relationship using the equation $y = kx$. The variable k is called the **constant of proportionality**, and it represents the constant rate of change or constant ratio between x and y . The value of k is represented by the equation $k = \frac{y}{x}$.



Math On the Spot

my.hrw.com

EXAMPLE 2



Two pounds of cashews shown cost \$19, and 8 pounds cost \$76. Show that the relationship between the number of pounds of cashews and the cost is a proportional relationship. Then write an equation for the relationship.

- STEP 1** Make a table relating cost in dollars to pounds.

Number of Pounds	2	3	8
Cost (\$)	19	28.50	76

- STEP 2** Write the rates. Put cost in the numerator and pounds in the denominator. Then simplify each rate.

$$\frac{\text{Cost}}{\text{Number of Pounds}} \rightarrow \frac{19}{2} = 9.50 \quad \frac{28.50}{3} = 9.50 \quad \frac{76}{8} = 9.50$$

The rates are all equal to \$9.50 per pound. They are constant, so the relationship is proportional. The constant rate of change is \$9.50 per pound.

- STEP 3** To write an equation, first tell what the variables represent.

- Let x represent the number of pounds of cashews.
- Let y represent the cost in dollars.
- Use the numerical part of the constant rate of change as the constant of proportionality.


So, the equation for the relationship is $y = 9.5x$.



Math Talk

Mathematical Processes

How can you use your equation to find the cost of 6 pounds of cashews?



YOUR TURN

4. For a school field trip, there must be 1 adult to accompany 12 students, 3 adults to accompany 36 students, and 5 adults to accompany 60 students. Show that the relationship between the number of adults and the number of students is a proportional relationship. Then write an equation for the relationship.

Number of students	12	36	60
Number of adults	1	3	5

Guided Practice

1. Based on the information in the table, is the relationship between time and the number of words typed a proportional relationship?
(Explore Activity and Example 1)

Time (min)	1	2	3	4
Number of words	45	90	135	180

Number of words / Minutes: $\frac{45}{1} = \square$ $\frac{\square}{\square} = \square$ $\frac{\square}{\square} = \square$ $\frac{\square}{\square} = \square$

The relationship **is / is not** proportional.

Find the constant of proportionality k . Then write an equation for the relationship between x and y . (Example 2)

2.

x	2	4	6	8
y	10	20	30	40

3.


x	8	16	24	32
y	2	4	6	8



ESSENTIAL QUESTION CHECK-IN

4. How can you represent a proportional relationship using an equation?

4.2 Independent Practice



Information on three car-rental companies is given.

- Write an equation that gives the cost y of renting a car for x days from Rent-All. _____
- What is the cost per day of renting a car from A-1? _____
- Analyze Relationships** Which company offers the best deal? Why?

Rent-All				
Days	3	4	5	6
Total Cost (\$)	55.50	74.00	92.50	111.00
A-1 Rentals The cost y of renting a car for x days is \$10.99 for each half day.		Car Town The cost of renting a car from us is just \$19.25 per day!		

- Critique Reasoning** A skydiver jumps out of an airplane. After 0.8 second, she has fallen 100 feet. After 3.1 seconds, she has fallen 500 feet. Emtiaz says that the skydiver should fall about 187.5 feet in 1.5 seconds. Is his answer reasonable? Explain.

Steven earns extra money babysitting. He charges \$31.25 for 5 hours and \$50 for 8 hours.

- Explain why the relationship between how much Steven charges and time is a proportional relationship.

- Interpret the Answer** Explain what the constant rate of change means in the context.

- Write an equation to represent the relationship. Tell what the variables represent.

- How much would Steven charge for 3 hours? _____

A submarine dives 300 feet every 2 minutes, and 6,750 feet every 45 minutes.

13. Find the constant rate at which the submarine dives. Give your answer in feet per minute and in feet per hour.

14. Let x represent the time of the dive. Let y represent the depth of the submarine. Write an equation for the proportional relationship using the rate in feet per minute.

15. **Draw Conclusions** If you wanted to find the depth of a submarine during a dive, would it be more reasonable to use an equation with the rate in feet per minute or feet per hour? Explain your reasoning.



FOCUS ON HIGHER ORDER THINKING

16. **Make a Conjecture** There is a proportional relationship between your distance from a thunderstorm and the time from when you see lightning and hear thunder. If there are 9 seconds between lightning and thunder, the storm is about 3 kilometers away. If you double the amount of time between lightning and thunder, do you think the distance in kilometers also double? justify your reasoning.

17. **Communicate Mathematical Ideas** A store sells 3 ears of corn for \$1. They round prices to the nearest cent as shown in the table. Tell whether you would describe the relationship between cost and number of ears of corn as a proportional relationship. Justify your answer.

Ears of corn	1	2	3	4
Amount charged (\$)	0.33	0.67	1.00	1.34

Work Area

LESSON 4.3 Proportional Relationships and Graphs

7.2.4.3

Students will use graphs to represent and analyze proportional relationships.



ESSENTIAL QUESTION

How can you use graphs to represent and analyze proportional relationships?

EXPLORE ACTIVITY



Graphing Proportional Relationships

You can use a graph to explore proportional relationships.

Most showerheads that were manufactured before 1994 use 5 gallons of water per minute. Is the relationship between the number of gallons of water and the number of minutes a proportional relationship?

Each minute, 5 gallons of water are used. So for 2 minutes, $2 \cdot 5$ gallons are used.

- A** Complete the table.

Time (min)	1	2	3		10
Water Used (gal)	5			35	

- B** Based on the table, is this a proportional relationship? Explain your answer.


- C** Write the data in the table as ordered pairs (time, water used).

(1, 5), (2, ___), (3, ___), (___, 35), (10, ___)

- D** Plot the ordered pairs.

- E** If the showerhead is used for 0 minutes, how many gallons of water will be used? What ordered pair represents this situation? What is this location called?

- F Draw Conclusions** If you continued the table to include 23 minutes, would the point (23, 125) be on this graph? Why or why not?





Math On the Spot

my.hrw.com

Identifying Proportional Relationships

In addition to using a table to determine if a relationship is proportional, you also can use a graph. A relationship is a proportional relationship if its graph is a straight line through the origin.

EXAMPLE 1



A house cleaning company charges \$45 per hour. Is the relationship a proportional relationship? Explain.

STEP 1 Make a table.


Each hour costs \$45. So for 2 hours, the cost is $2 \cdot \$45 = \90 .

Time (h)	1	2	3	5	8
Total cost (\$)	45	90	135	225	360

STEP 2 Write the data in the table as ordered pairs (time, cost).

(1, 45), (2, 90), (3, 135), (5, 225), (8, 360)

STEP 3 Graph the ordered pairs.



Place time on the x-axis and total cost on the y-axis.

Plot each point.

Connect the points with a line.


The graph is a line that goes through the origin.

So, the relationship is proportional. The point (1, 45) on the graph shows that the unit rate is \$45 for 1 hour.

YOUR TURN

- Jared rents bowling shoes for \$6 and pays \$5 per bowling game. Is the relationship a proportional relationship? Explain.

Games	1	2	3	4
Total Cost (\$)	11	16	21	26





Personal Math Trainer

Online Assessment and Intervention

my.hrw.com

Analyzing Graphs

Recall that you can describe a proportional relationship with the equation $y = kx$. The constant of proportionality k tells you how steep the graph of the relationship is. The greater the absolute value of k , the steeper the line.



Math On the Spot

my.hrw.com

EXAMPLE 2



The graph shows the relationship between time in minutes and the number of miles Damon runs. Write an equation for this relationship.

STEP 1 Choose a point on the graph and tell what the point represents.


The point (25, 2.5) represents the distance (2.5 miles) that Damon runs in 25 minutes.

STEP 2 What is the constant of proportionality?

Because $\frac{\text{distance}}{\text{time}} = \frac{2.5 \text{ mi}}{25 \text{ min}} = \frac{1}{10}$, the constant of proportionality is $\frac{1}{10}$.

STEP 3 Write an equation in the form $y = kx$.

$$y = \frac{1}{10}x$$



The points appear to form a line through the origin so the relationship is proportional.

Reflect

2. **Communicate Mathematical Ideas** What does the point (0, 0) on the graph represent?

3. **What If?** Suppose you drew a graph representing the relationship $y = \frac{1}{8}x$ between time in minutes and the number of miles Esther runs. How would the graph compare to the one for Damon? Explain.

Math Talk

Mathematical Processes

What is the meaning of the point on the graph in Exercise 4 with x-coordinate 1?


YOUR TURN

4. The graph shows the relationship between the distance a bicyclist travels and the time in hours.

a. What does the point (4, 60) represent?

b. What is the constant of proportionality? _____

c. Write an equation in the form $y = kx$ for this relationship. _____



Personal Math Trainer

Online Assessment and Intervention

my.hrw.com

Guided Practice

Complete each table. Tell whether the relationship is a proportional relationship. Explain why or why not. (Explore Activity)

1. A student reads 65 pages per hour.


Time (h)	3	5		10
Pages			585	

2. A babysitter makes \$7.50 per hour.


Time (h)	2		5	
Amount (\$)		22.50		60

Tell whether the relationship is a proportional relationship. Explain why or why not. (Explore Activity and Example 1)


3. Chores




4. Movie Rentals



Write an equation of the form $y = kx$ for the relationship shown in each graph. (Example 2)







ESSENTIAL QUESTION CHECK-IN

7. How does a graph show a proportional relationship?

4.3 Independent Practice



For Exercises 8–12, the graph shows the relationship between time and distance run by two horses.



8. Explain the meaning of the point (0, 0).

9. How long does it take each horse to run a mile?

10. **Multiple Representations** Write an equation for the relationship between time and distance for each horse.


11. **Draw Conclusions** At the given rates, how far would each horse run in 12 minutes?

12. **Analyze Relationships** Draw a line on the graph representing a horse that runs faster than horses A and B.

13. A bullet train can travel at 170 miles per hour. Will a graph representing distance in miles compared to time in hours show a proportional relationship? Explain.


14. **Critical Thinking** When would it be more useful to represent a proportional relationship with a graph rather than an equation?

15. **Multiple Representations** Bargain DVDs cost \$5 each at Mega Movie.
 - a. Graph the proportional relationship that gives the cost y in dollars of buying x bargain DVDs.



- b. Give an ordered pair on the graph and explain its meaning in the real world context.

The graph shows the relationship between distance and time as Glenda swims.



16. How far did Glenda swim in 4 seconds? _____

17. **Communicate Mathematical Ideas** Is this a proportional relationship? Explain your reasoning.

18. **Multiple Representations** Write an equation that shows the relationship between time and distance. _____



FOCUS ON HIGHER ORDER THINKING

19. **Make a Conjecture** If you know that a relationship is proportional and are given one ordered pair that is not (0, 0), how can you find another pair?

Work Area

The tables show the distance traveled by three cars.

Car 1	
Time (h)	Distance (mi)
0	0
2	120
3	180
5	300
6	360


Car 2	
Time (h)	Distance (mi)
0	0
5	200
10	400
15	600
20	800

Car 3	
Time (h)	Distance (mi)
0	0
1	65
2	85
3	105
4	125

20. **Communicate Mathematical Ideas** Which car is not traveling at a constant speed? Explain your reasoning.

21. **Make a Conjecture** Car 4 is traveling at twice the rate of speed of car 2. How will the table values for car 4 compare to the table values for car 2?

Ready to Go On?



4.1 Unit Rates

Find each unit rate. Round to the nearest hundredth, if necessary.

1. \$140 for 18 ft² _____ 2. 14 lb for \$2.99 _____

Circle the better deal in each pair. Then give the unit rate for the better deal.

3. $\frac{\$56}{25 \text{ gal}}$ or $\frac{\$32.05}{15 \text{ gal}}$ _____ 4. $\frac{\$160}{5 \text{ g}}$ or $\frac{\$315}{9 \text{ g}}$ _____

4.2 Constant Rates of Change

5. The table shows the amount of money Tyler earns for mowing lawns. Is the relationship a proportional relationship? Why or why not?


Number of Lawns	1	2	3	4
Amount Earned (\$)	15	30	48	64

6. On a recent day, 8 euros were worth \$9 and 24 euros were worth \$27. Write an equation of the form $y = kx$ to show the relationship between the number of euros and the value in dollars.

_____, where y is dollars and x is euros

4.3 Proportional Relationships and Graphs

7. The graph shows the number of servings in different amounts of frozen yogurt listed on a carton. Write an equation that gives the number of servings y in x pints.




8. A refreshment stand makes 2 large servings of frozen yogurt from 3 pints. Add the line to the graph and write its equation.



ESSENTIAL QUESTION

9. How can you use rates to determine whether a situation is a proportional relationship?

Assessment Readiness



Selected Response

- Kori spent \$46.20 on 12 gallons of gasoline. What was the price per gallon?

(A) \$8.35 (C) \$2.59
(B) \$3.85 (D) \$0.26
- A rabbit can run short distances at a rate of 35 miles per hour. A fox can run short distances at a rate of 21 miles per half hour. Which animal is faster, and by how much?


(A) The rabbit; 7 miles per hour
(B) The fox; 7 miles per hour
(C) The rabbit; 14 miles per hour
(D) The fox; 14 miles per hour
- A pet survey found that the ratio of dogs to cats is $\frac{2}{5}$. Which proportion shows the number of dogs if the number of cats is 140?

(A) $\frac{2 \text{ dogs}}{5 \text{ cats}} = \frac{140 \text{ dogs}}{350 \text{ cats}}$
(B) $\frac{2 \text{ dogs}}{5 \text{ cats}} = \frac{140 \text{ cats}}{350 \text{ dogs}}$
(C) $\frac{2 \text{ dogs}}{5 \text{ cats}} = \frac{28 \text{ dogs}}{140 \text{ cats}}$
(D) $\frac{2 \text{ dogs}}{5 \text{ cats}} = \frac{56 \text{ dogs}}{140 \text{ cats}}$
- What is the cost of 2 kilograms of flour if 3 kilograms cost \$4.86 and the unit price for each package of flour is the same?

(A) \$0.81 (C) \$3.24
(B) \$2.86 (D) \$9.72
- One gallon of paint covers about 450 square feet. How many square feet will 1.5 gallons of paint cover?

(A) 300 ft² (C) 675 ft²
(B) 451.5 ft² (D) 900 ft²

- The graph shows the relationship between the late fines the library charges and the number of days late.



What is an equation for the relationship?

- (A) $y = 0.25x$ (C) $y = 0.50x$
(B) $y = 0.40x$ (D) $y = 0.75x$

Mini-Task

- School is 2 miles from home along a straight road. The table shows your distance from home as you walk home at a constant rate.

Time (min)	10	20	30
Distance from home (mi)	1.5	1	0.5

- Is the relationship in the table proportional?

- Find your distance from school for each time in the table.

- Write an equation representing the relationship between the distance from school and time walking.
